

Entropy Publications Reference List June 2016

Contents

PEER-REVIEWED ARTICLES.....	2
ARTICLES CATEGORIZED.....	9
ABSTRACTS.....	20

PEER-REVIEWED ARTICLES

- Abdelmageed, W.M., *et al.* Preoperative paracetamol infusion reduces sevoflurane consumption during thyroidectomy under general anesthesia with spectral entropy monitoring. *Egyptian Journal of Anaesthesia*, **30(2)**, 115–122 (2014)
- Absalom A.R. and Menon D.K. BIS and spectral entropy monitoring during sedation with midazolam/remifentanyl and dexmedetomidine/remifentanyl. *Crit Care*. **13(2)**, 137 (2009)
- Aho, A. J., *et al.* Comparison of Bispectral Index and Entropy values with electroencephalogram during surgical anaesthesia with sevoflurane. *British Journal of Anaesthesia*, **115(2)**, 258–266 (2015)
- Aho, A. J., *et al.* Elevated BIS and Entropy values after sugammadex or neostigmine: an electroencephalographic or electromyographic phenomenon? *Acta Anaesthesiologica Scandinavica*, **56(4)**, 465–473 (2012).
- Aho, A. J., *et al.* Explaining Entropy responses after a noxious stimulus, with or without neuromuscular blocking agents, by means of the raw electroencephalographic and electromyographic characteristics. *British Journal of Anaesthesia*, **106(1)**, 69–76 (2011).
- Aho, A. J., *et al.* Facial muscle activity, Response Entropy, and State Entropy indices during noxious stimuli in propofol--nitrous oxide or propofol--nitrous oxide--remifentanyl anaesthesia without neuromuscular block. *British Journal of Anaesthesia*, **102(2)**, 227–233 (2009).
- Aho, A. J., *et al.* Can electromyographic arousal be detected visually on the Datex-Ohmeda S/5™ Anesthesia Monitor? *Acta Anaesthesiologica Scandinavica*, **57(3)**, 364–372 (2013).
- Aimé, I., *et al.* Effect of age on the comparability of bispectral and state entropy indices during the maintenance of propofol--sufentanil anaesthesia. *British Journal of Anaesthesia*, 457 (2012).
- Aimé, I., *et al.* Does monitoring bispectral index or spectral entropy reduce sevoflurane use? *Anesthesia and Analgesia*, **103(6)**, 1469–1477. (2006).
- Anderson, R. E., *et al.* Entropy during propofol hypnosis, including an episode of wakefulness. *Anaesthesia*, **59(1)**, 52–56 (2004).
- Anderson, R. E., *et al.* Entropy of EEG during anaesthetic induction: a comparative study with propofol or nitrous oxide as sole agent†. *British Journal of Anaesthesia*, **92(2)**, 167–170 (2004).
- Arnold, G., *et al.* BIS and Entropy in the elderly. *Anaesthesia*, **62(9)**, 907–912 (2007).
- Arutiunian, O. M., *et al.* [Role of entropy-based neuromonitoring during cardiac surgery]. *Anesteziol Reanimatol*, **5**, 78–82 (2010) Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21395148>
- Bajwa, S. J. S., *et al.* Influence of esmolol on requirement of inhalational agent using entropy and assessment of its effect on immediate postoperative pain score. *Indian Journal of Anaesthesia* **56(6)**, 535 (2012).
- Balci, C., *et al.* Comparison of entropy and bispectral index during propofol and fentanyl sedation in monitored anaesthesia care. *Journal of International Medical Research* **37(5)**, 1336–1342 (2009).
- Barnard, J. P., *et al.* Can anaesthetists be taught to interpret the effects of general anaesthesia on the electroencephalogram? Comparison of performance with the BIS and spectral entropy. *British Journal of Anaesthesia* **99(4)**, 532–537 (2007).
- Baughman, V. L., *et al.* Recovery from paralysis with succinylcholine increased Response entropy and EMG but not State entropy. *Journal of Clinical Monitoring and Computing* **19(3)**, 201–205 (2005).
- Baulig, W., *et al.* Comparison of spectral entropy and bispectral index electroencephalography in coronary artery bypass graft surgery. *Journal of Cardiothoracic and Vascular Anesthesia* **24(4)**, 544–549 (2010)
- Bein, B. Entropy. *Best Practice & Research Clinical Anaesthesiology*, **20(1)**, 101–109 (2006).
- Bharne, S., *et al.* Comparison of intravenous labetalol and bupivacaine scalp block on the hemodynamic and entropy changes following skull pin application: A randomized, open label clinical trial. *Asian Journal of Neurosurgery* **11(1)**, 60 (2016).
- Bhaskara, B., *et al.* Effect of breastfeeding on hemodynamics and consumption of propofol and sevoflurane: A state entropy guided comparative study. *Indian Journal of Anaesthesia* **60(3)**, 180 (2016).
- Bonhomme, V., *et al.* Correlation and agreement between bispectral index and state entropy of the electroencephalogram during propofol anaesthesia. *British Journal of Anaesthesia*, **97(3)**, 340–346 (2006).

- Bruhn, J., *et al.* Depth of anaesthesia monitoring: what's available, what's validated and what's next? *British Journal of Anaesthesia*, **97(1)**, 85–94 (2006).
- Chakrabarti, D., *et al.* ECG contamination of EEG signals: effect on entropy. *Journal of Clinical Monitoring and Computing*, 1–4 (2015).
- Chazot, T., *et al.* Detection of gas embolism by bispectral index and entropy monitoring in two cases. *Anesthesiology*, **101(4)**, 1053–1054 (2004).
- Choi, S. R., *et al.* Spectral entropy monitoring allowed lower sevoflurane concentration and faster recovery in children. *Acta Anaesthesiologica Scandinavica*, **54(7)**, 859–862 (2010).
- Davidson, A. J., *et al.* Performance of entropy and Bispectral Index as measures of anaesthesia effect in children of different ages. *British Journal of Anaesthesia*, **95(5)**, 674–679 (2005).
- Davidson, A. J., *et al.* Entropy and bispectral index during anaesthesia in children. *Anaesthesia and Intensive Care*, **32(4)**, 485 (2004).
- Davidson, A. J. *et al.* Measuring anesthesia in children using the EEG. *Pediatric Anesthesia*, **16(4)**, 374–387 (2006).
- Davidson, A. J. *et al.* Monitoring the anaesthetic depth in children--an update. *Current Opinion in Anesthesiology*, **20(3)**, 236–243 (2007).
- Duncan, D., *et al.* A comparison of bispectral index and entropy monitoring, in patients undergoing embolization of cerebral artery aneurysms after subarachnoid haemorrhage. *British Journal of Anaesthesia*, **96(5)**, 590–596 (2006).
- El Hor, T., *et al.* Impact of entropy monitoring on volatile anesthetic uptake. *Anesthesiology*, **118(4)**, 868–873 (2013).
- Ellerkmann, R. K., *et al.* Spectral entropy and bispectral index as measures of the electroencephalographic effects of sevoflurane. *Anesthesiology*, **101(6)**, 1275–1282 (2004).
- Ellerkmann, R. K., *et al.* Spectral entropy and bispectral index as measures of the electroencephalographic effects of propofol. *Anesthesia & Analgesia*, **102(5)**, 1456–1462 (2006).
- Enlund, M., *et al.* A comparison of auditory evoked potentials and spectral EEG in the ability to detect marked sevoflurane concentration alterations and clinical events. *Uppsala Journal of Medical Sciences*, **112(2)**, 221–229 (2007).
- Feld, J., *et al.* Response entropy is more reactive than bispectral index during laparoscopic gastric banding. *Journal of Clinical Monitoring and Computing*, **20(4)**, 229–234 (2006).
- Ferenets, R., *et al.* Behavior of Entropy/Complexity Measures of the Electroencephalogram during Propofol-induced Sedation Dose-dependent Effects of Remifentanyl. *Anesthesiology*, **106(4)**, 696–706 (2007).
- Gao, J. D., *et al.* Evaluation of entropy for monitoring the depth of anesthesia compared with bispectral index: a multicenter clinical trial. *Chinese Medical Journal*, **125(8)**, 1389–1392 (2012).
- Ghodki, P. S., *et al.* Dexmedetomidine as an anesthetic adjuvant in laparoscopic surgery: An observational study using entropy monitoring. *Journal of Anaesthesiology Clinical Pharmacology*, **28(3)**, 334 (2012).
- Gjerstad, A. C., *et al.* Comparison of skin conductance with entropy during intubation, tetanic stimulation and emergence from general anaesthesia. *Acta Anaesthesiologica Scandinavica*, **51(1)**, 8–15 (2007).
- Gjerstad, A. C., *et al.* Skin conductance or entropy for detection of non-noxious stimulation during different clinical levels of sedation. *Acta Anaesthesiologica Scandinavica*, **51(1)**, 1–7 (2007).
- Gruenewald, M., *et al.* M-Entropy guidance vs standard practice during propofol-remifentanyl anaesthesia: a randomised controlled trial*. *Anaesthesia*, **62(12)**, 1224–1229 (2007).
- Guerrero, J. L., *et al.* Response entropy changes after noxious stimulus. *Journal of Clinical Monitoring and Computing*, **26(3)**, 171–175 (2012).
- Hadzidiakos, D., *et al.* Subjective assessment of depth of anaesthesia by experienced and inexperienced anaesthetists. *European Journal of Anaesthesiology*, **23(04)**, 292–299 (2006).
- Haenggi, M., *et al.* Entropy and bispectral index for assessment of sedation, analgesia and the effects of unpleasant stimuli in critically ill patients: an observational study. *Critical Care*, **12(5)**, R119 (2008).

- Haenggi, M., *et al.* Auditory event-related potentials, bispectral index, and entropy for the discrimination of different levels of sedation in intensive care unit patients. *Anesthesia & Analgesia*, **109(3)**, 807–816 (2009).
- Haenggi, M., *et al.* Intra-and inter-individual variation of BIS-index and Entropy during controlled sedation with midazolam/remifentanil and dexmedetomidine/remifentanil in healthy volunteers: an interventional study. *Crit Care*, **13(1)**, R20 (2009).
- Hahn, J.-O., *et al.* Two-stage vs mixed-effect approach to pharmacodynamic modeling of propofol in children using state entropy. *Pediatric Anesthesia*, **21(6)**, 691–698 (2011).
- Hans, P., *et al.* Effects of nitrous oxide on spectral entropy of the EEG during surgery under balanced anaesthesia with sufentanil and sevoflurane. *Acta Anaesthesiol Belg*, **56(1)**, 37–43 (2005).
- Hans, P., *et al.* Comparative effects of ketamine on Bispectral Index and spectral entropy of the electroencephalogram under sevoflurane anaesthesia. *British Journal of Anaesthesia*, **94(3)**, 336–340 (2005).
- Hans, P., *et al.* Effect of an intubation dose of rocuronium on Spectral Entropy and Bispectral Index™ responses to laryngoscopy during propofol anaesthesia. *British Journal of Anaesthesia*, **97(6)**, 842–847 (2006).
- Harsoor, S. S., *et al.* Effect of intraoperative Dexmedetomidine infusion on Sevoflurane requirement and blood glucose levels during entropy-guided general anesthesia. *Journal of Anaesthesiology, Clinical Pharmacology*, **30(1)**, 25 (2014).
- Hernández-Gancedo, C., *et al.* Comparing Entropy and the Bispectral index with the Ramsay score in sedated ICU patients. *Journal of Clinical Monitoring and Computing*, **21(5)**, 295–302 (2007).
- Höcker, J., *et al.* Differences between bispectral index and spectral entropy during xenon anaesthesia: a comparison with propofol anaesthesia. *Anaesthesia*, **65(6)**, 595–600 (2010).
- Iannuzzi, M., *et al.* Relationship between bispectral index, electroencephalographic state entropy and effect-site EC50 for propofol at different clinical endpoints. *British Journal of Anaesthesia*, **94(4)**, 492–495 (2005).
- Ikeda, T., *et al.* Influence of hypobaric hypoxia on bispectral index and spectral entropy in volunteers. *Acta Anaesthesiologica Scandinavica*, **53(7)**, 891–894 (2009).
- Jagia, M., *et al.* Comparative Evaluation of Spectral Entropy and Bispectral Index during Propofol/Thiopentone Anaesthesia in Patients with Supratentorial Tumours-A Preliminary Study. *Indian Journal of Anesthesia*, **52(2)**, 175 (2008).
- Jiang, A., *et al.* The Effects of Different Methods of Anaesthesia for Laparoscopic Radical Gastrectomy with Monitoring of Entropy. *Anticancer Research*, **36(3)**, 1305–1308 (2016).
- Kaskinoro, K., *et al.* Wide inter-individual variability of bispectral index and spectral entropy at loss of consciousness during increasing concentrations of dexmedetomidine, propofol, and sevoflurane. *British Journal of Anaesthesia*, **107(4)**, 573–80 (2011).
- Kawaguchi, M., *et al.* Rocuronium dose-dependently suppresses the spectral entropy response to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **102(5)**, 667–672 (2009).
- Kawaguchi, M., *et al.* Effect of landiolol on bispectral index and spectral entropy responses to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **101(2)**, 273–278 (2008).
- Khan, J., *et al.* Entropy as an indicator of cerebral perfusion in patients with increased intracranial pressure. *Journal of Anaesthesiology, Clinical Pharmacology*, **30(3)**, 409 (2014).
- Khosravi, S., *et al.* A monitor-decoupled pharmacodynamic model of propofol in children using state entropy as clinical endpoint. *Biomedical Engineering, IEEE Transactions on*, **59(3)**, 736–743 (2012).
- Kim, H., *et al.* Transcranial electrical stimulations given for motor-evoked potentials as the cause for elevated bispectral index and entropy during spine surgery. *Journal of Neurosurgical Anesthesiology*, **25(2)**, 217–219 (2013).
- Kim, H.-M., *et al.* Effects of etomidate on bispectral index scale and spectral entropy during induction of anesthesia by means of the raw electroencephalographic and electromyographic characteristics. *Korean Journal of Anesthesiology*, **62(3)**, 230–233 (2012).
- Kim, Y. H., *et al.* Effect of preoperative anxiety on spectral entropy during induction with propofol. *Korean Journal of Anesthesiology*, **65(2)**, 108–113 (2013).
- Klockars, J. G. M., *et al.* Spectral entropy as a measure of hypnosis and hypnotic drug effect of total intravenous anesthesia in children during slow induction and maintenance. *Anesthesiology*, **116(2)**, 340–351 (2012).

- Klockars, J. G. M., *et al.* Spectral entropy as a measure of hypnosis in children. *Anesthesiology*, **104(4)**, 708–717 (2006).
- Kokki, H., *et al.* Regular tramadol use does not affect the propofol dose requirement for induction of anaesthesia. *European Journal of Anaesthesiology*, **24(09)**, 776–781 (2007).
- Kotur, P. F. Editorial: Entropy – A new measure of anaesthetic depth. *Indian Journal of Anaesthesia*, **48(3)**, 170–171. (2004). Retrieved from <http://medind.nic.in/iadt04/i3/iadt04i3p170.pdf>
- Kreuzer, M., *et al.* Time delay of monitors of the hypnotic component of anesthesia: analysis of state entropy and index of consciousness. *Anesthesia & Analgesia*, **115(2)**, 315–319 (2012).
- Kwon, M.-Y., *et al.* Spectral entropy for assessing the depth of propofol sedation. *Korean Journal of Anesthesiology*, **62(3)**, 234–239 (2012).
- Laitio, R. M., *et al.* Bispectral index, entropy, and quantitative electroencephalogram during single-agent xenon anesthesia. *Anesthesiology*, **108(1)**, 63–70 (2008).
- Lee, J. Y., *et al.* The effect of spectral entropy monitoring on propofol use and recovery in children. *Anesthesia and Pain Medicine*, **9(2)**, 138–143 (2014).
- Lefoll-Masson, C., *et al.* The comparability of bispectral index and state entropy index during maintenance of sufentanil-sevoflurane-nitrous oxide anesthesia. *Anesthesia & Analgesia*, **105(5)**, 1319–1325 (2007).
- Lehmann, A., *et al.* Bispectral index and electroencephalographic entropy in patients undergoing aortocoronary bypass grafting. *European Journal of Anaesthesiology*, **24(09)**, 751–760 (2007).
- Li, D., *et al.* Multiscale permutation entropy analysis of EEG recordings during sevoflurane anesthesia. *Journal of Neural Engineering*, **7(4)** (2010).
- Liu, N., *et al.* The influence of a muscle relaxant bolus on bispectral and datex-ohmeda entropy values during propofol-remifentanil induced loss of consciousness. *Anesthesia & Analgesia*, **101(6)**, 1713–1718 (2005).
- Liu, N., *et al.* Feasibility of closed-loop titration of propofol and remifentanil guided by the spectral M-Entropy monitor. *Anesthesiology*, **116(2)**, 286–295 (2012).
- Lysakowski, C., *et al.* Bispectral and spectral entropy indices at propofol-induced loss of consciousness in young and elderly patients. *British Journal of Anaesthesia*, **aep162** (2009).
- Mahon, P., *et al.* Behaviour of spectral entropy, spectral edge frequency 90%, and alpha and beta power parameters during low-dose propofol infusion. *British Journal of Anaesthesia*, **101(2)**, 213–221 (2008).
- Mahon, P., *et al.* Can state or response entropy be used as a measure of sleep depth? *Anaesthesia*, **63(12)**, 1309–1313 (2008).
- Mahon, P., *et al.* Spectral entropy as a monitor of depth of propofol induced sedation. *Journal of Clinical Monitoring and Computing*, **22(2)**, 87–93 (2008).
- Maksimow, A., *et al.* Correlation of EEG spectral entropy with regional cerebral blood flow during sevoflurane and propofol anaesthesia*. *Anaesthesia*, **60(9)**, 862–869 (2005).
- Maksimow, A., *et al.* Assessing the depth of dexmedetomidine-induced sedation with electroencephalogram (EEG)-based spectral entropy. *Acta Anaesthesiologica Scandinavica*, **51(1)**, 22–30 (2007).
- Maksimow, A., *et al.* Increase in high frequency EEG activity explains the poor performance of EEG spectral entropy monitor during S-ketamine anesthesia. *Clinical Neurophysiology*, **117(8)**, 1660–8 (2006).
- Martorano, P., *et al.* Spectral entropy assessment with auditory evoked potential in neuroanesthesia. *Clinical Neurophysiology*, **118(3)**, 505–512 (2007).
- Martorano, P. P., *et al.* Bispectral index and spectral entropy in neuroanesthesia. *Journal of Neurosurgical Anesthesiology*, **18(3)**, 205–210 (2006).
- Mathews, D. M., *et al.* Feasibility study for the administration of remifentanil based on the difference between response entropy and state entropy†. *British Journal of Anaesthesia*, **98(6)**, 785–791 (2007).
- McKay, I. D. H., *et al.* Pharmacokinetic-pharmacodynamic modeling the hypnotic effect of sevoflurane using the spectral entropy of the electroencephalogram. *Anesthesia & Analgesia*, **102(1)**, 91–97 (2006).

- Meybohm, P., *et al.* Correlation and agreement between the bispectral index vs. state entropy during hypothermic cardiopulmonary bypass. *Acta Anaesthesiologica Scandinavica*, **54(2)**, 169–175 (2010).
- Moller, D. H., *et al.* Spectral entropy predicts auditory recall in volunteers. *Anesthesia & Analgesia*, **106(3)**, 873–879 (2008).
- Mowafi, H. A. Spectral entropy as an objective measure of sedation state in midazolam-premedicated patients. *Saudi Journal of Anaesthesia*, **6(2)**, 131 (2012).
- Musialowicz, T., *et al.* Comparison of Spectral Entropy and BIS VISTATM monitor during general anesthesia for cardiac surgery. *Journal of Clinical Monitoring and Computing*, **25(2)**, 95–103 (2011).
- Nishiyama, T., The effects of auditory evoked potential click sounds on bispectral index and entropy. *Anesthesia & Analgesia*, **107(2)**, 545–548 (2008).
- Nunes, R. R., Entropy: A new method of measuring depth of anesthesia. Comparative study with bispectral index during clinical evaluation in tracheal intubation of patients anesthetized with sevoflurane. *Revista Brasileira de Anestesiologia*, **54(3)**, 289–302 (2004).
- Nunes, R. R., *et al.* Spectral entropy: a new method for anesthetic adequacy. *Revista Brasileira de Anestesiologia*, **54(3)**, 404–422 (2004).
- Ozcan, M. S., *et al.* Does nitrous oxide affect bispectral index and state entropy when added to a propofol versus sevoflurane anesthetic? *Journal of Neurosurgical Anesthesiology*, **22(4)**, 309–315 (2010).
- Paisansathan, C., *et al.* Signal persistence of bispectral index and state entropy during surgical procedure under sedation. *The Scientific World Journal*, 5 pages (2012).
- Patel, C. R., *et al.* The effect of dexmedetomidine continuous infusion as an adjuvant to general anesthesia on sevoflurane requirements: a study based on entropy analysis. *Journal of Anaesthesiology Clinical Pharmacology*, **29(3)**, 318 (2013).
- Peeters, E., Automated EEG entropy measurements in coma, vegetative state/unresponsive wakefulness syndrome and minimally conscious state. *Functional Neurology*, **26(1)**, 25 (2011).
- Pilge, S., *et al.* Differences between state entropy and bispectral index during analysis of identical electroencephalogram signals: A comparison with two randomised anaesthetic techniques. *European Journal of Anaesthesiology (EJA)*, **32(5)**, 354–365 (2015).
- Prabhakar, H., *et al.* Isoflurane and sevoflurane decrease entropy indices more than halothane at equal MAC values. *Journal of Anesthesia*, **23(1)**, 154–157 (2009).
- Prabhakar, H., *et al.* EEG entropy values during isoflurane, sevoflurane and halothane anesthesia with and without nitrous oxide. *Journal of Neurosurgical Anesthesiology*, **21(2)**, 108–111 (2009).
- Puttappa, A., *et al.* Large increases in both response and state entropy to awake values antagonized with administration of incremental rocuronium. *British Journal of Anaesthesia*, **115(6)**, 934–935 (2015).
- Rantanen, M., *et al.* Novel multiparameter approach for measurement of nociception at skin incision during general anaesthesia. *British Journal of Anaesthesia*, **96(3)**, 367–376 (2006).
- Rao, A. K., *et al.* Comparison of electroencephalogram entropy versus loss of verbal response to determine the requirement of propofol for induction of general anaesthesia. *Indian Journal of Anaesthesia*, **59(6)**, 348 (2015).
- Reviron, P., *et al.* [Interest of entropy monitoring during low-grade cerebral aneurysm embolisation]. In *Annales francaises d'anesthesie et de reanimation* **27**, 106–107 (2008).
- Riad, W., *et al.* Monitoring with EEG entropy decreases propofol requirement and maintains cardiovascular stability during induction of anaesthesia in elderly patients. *European Journal of Anaesthesiology*, **24(08)**, 684–688 (2007).
- Rinaldi, S., *et al.* State entropy and bispectral index: correlation with end tidal sevoflurane concentrations. *Minerva Anesthesiologica*, **73(1-2)**, 39–48 (2006).
- Schmidt, G. N., *et al.* Comparative evaluation of the Datex-Ohmeda S/5 Entropy Module and the Bispectral Index monitor during propofol--remifentanil anesthesia. *Anesthesiology*, **101(6)**, 1283–1290 (2004).
- Schultz, A., *et al.* Comparison of Narcotrend Index, Bispectral Index, spectral and entropy parameters during induction of propofol-remifentanil anaesthesia. *Journal of Clinical Monitoring and Computing*, **22(2)**, 103–111 (2008).

- Seitsonen, E. R. J., *et al.* EEG spectral entropy, heart rate, photoplethysmography and motor responses to skin incision during sevoflurane anaesthesia. *Acta Anaesthesiologica Scandinavica*, **49(3)**, 284–292 (2005).
- Shah, S. B., *et al.* Comparison of hemodynamic effects of intravenous etomidate versus propofol during induction and intubation using entropy guided hypnosis levels. *Journal of Anaesthesiology, Clinical Pharmacology*, **31(2)**, 180 (2015).
- Shalhaf, R., *et al.* Measuring the effects of sevoflurane on electroencephalogram using sample entropy. *Acta Anaesthesiologica Scandinavica*, **56(7)**, 880–889 (2012).
- Sharma, R., *et al.* Monitoring the depth of anaesthesia using the new modified entropy sensors during supratentorial craniotomy: Our experience. *Journal of Neuroanaesthesiology and Critical Care*, **2(1)**, 28 (2015).
- Shepherd, J., *et al.* Clinical effectiveness and cost-effectiveness of depth of anaesthesia monitoring (E-Entropy, Bispectral Index and Narcotrend): a systematic review and economic evaluation. *Health Technology Assessment (Winchester, England)*, **17(34)**, 1–264 (2013).
- Sleigh, J. W., *et al.* Editorial I Entropy is blind to nitrous oxide. Can we see why? *British Journal of Anaesthesia*, **92(2)**, 159–161 (2004).
- Smith, F. J., *et al.* Entropy of the electroencephalogram as applied in the M-Entropy S/5TM Module (GE Healthcare) during increases in nitrous oxide and constant sevoflurane concentrations. *Southern African Journal of Anaesthesia and Analgesia*, **16(4)** (2010).
- Soto, R. G., *et al.* The effect of addition of nitrous oxide to a sevoflurane anesthetic on BIS, PSI, and entropy. *Journal of Clinical Monitoring and Computing*, **20(3)**, 145–150 (2006).
- Soto, R., *et al.* A comparison of bispectral index and entropy, or how to misinterpret both. *Anesthesia & Analgesia*, **100(4)**, 1059–1061 (2005).
- Strandberg, L., *et al.* Electroencephalogram-based indexes indicate the drug effect of the brain, not the (un) consciousness itself. *Anesthesia & Analgesia*, **106(5)**, 1585–1586 (2008).
- Struys, M., *et al.* Changes in a surgical stress index in response to standardized pain stimuli during propofol--remifentanil infusion. *British Journal of Anaesthesia*, **99(3)**, 359–367 (2007).
- Särkelä, M. O. K., *et al.* Automatic analysis and monitoring of burst suppression in anesthesia. *Journal of Clinical Monitoring and Computing*, **17(2)**, 125–34 (2002).
Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12212991>
- Takamatsu, I., *et al.* Entropy indices vs the bispectral indexTM for estimating nociception during sevoflurane anaesthesia. *British Journal of Anaesthesia*, **96(5)**, 620–626 (2006).
- Talawar, P., *et al.* Entropy monitoring decreases isoflurane concentration and recovery time in pediatric day care surgery—a randomized controlled trial. *Pediatric Anesthesia*, **20(12)**, 1105–1110 (2010).
- Vakkuri, A., *et al.* Time-frequency balanced spectral entropy as a measure of anesthetic drug effect in central nervous system during sevoflurane, propofol, and thiopental anesthesia. *Acta Anaesthesiologica Scandinavica*, **48(2)**, 145–153 (2004).
- Vakkuri, A., *et al.* Spectral entropy monitoring is associated with reduced propofol use and faster emergence in propofol--nitrous oxide--alfentanil anesthesia. *Anesthesiology*, **103(2)**, 274–279 (2005).
- Valjus, M., *et al.* Response EntropyTM is not more sensitive than State EntropyTM in distinguishing the use of esmolol instead of remifentanil in patients undergoing gynaecological laparoscopy. *Acta Anaesthesiologica Scandinavica*, **50(1)**, 32–39 (2006).
- Walsh, T. S., *et al.* An assessment of the validity of spectral entropy as a measure of sedation state in mechanically ventilated critically ill patients. *Intensive Care Medicine*, **34(2)**, 308–315 (2008).
- Vanluchene, A. L. G., *et al.* Spectral entropy measurement of patient responsiveness during propofol and remifentanil. A comparison with the bispectral index. *British Journal of Anaesthesia*, **93(5)**, 645–654 (2004).
- Vanluchene, A. L. G., *et al.* Spectral Entropy as an Electroencephalographic Measure of Anesthetic Drug Effect A Comparison with Bispectral Index and Processed Midlatency Auditory Evoked Response. *Anesthesiology*, **101(1)**, 34–42 (2004).
- Varma, P., *et al.* Comparison of subarachnoid block with bupivacaine and bupivacaine with fentanyl on entropy and sedation: A prospective randomized double-blind study. *Journal of Anaesthesiology, Clinical Pharmacology*, **30(4)**, 543 (2014).

- Vassiliadis, M., *et al.* Awareness despite low spectral entropy values. *Anesthesia & Analgesia*, **105(2)**, 535 (2007).
- Weil, G., *et al.* Does spectral entropy reflect the response to intubation or incision during propofol-remifentanil anesthesia? *Anesthesia & Analgesia*, **106(1)**, 152–159 (2008).
- Wennervirta, J. E., *et al.* Hypothermia-treated cardiac arrest patients with good neurological outcome differ early in quantitative variables of EEG suppression and epileptiform activity*. *Critical Care Medicine*, **37(8)**, 2427–2435 (2009).
- Wennervirta, J., *et al.* Entropy is more resistant to artifacts than bispectral index in brain-dead organ donors. *Intensive Care Medicine*, **33(1)**, 133–136 (2007).
- Vereecke, H. E. M., *et al.* The effects of ketamine and rocuronium on the A-Line{®} auditory evoked potential Index, Bispectral Index, and spectral entropy monitor during steady state propofol and remifentanil anesthesia. *Anesthesiology*, **105(6)**, 1122–1134 (2006).
- Wheeler, P., *et al.* Response entropy increases during painful stimulation. *Journal of Neurosurgical Anesthesiology*, **17(2)**, 86–90 (2005).
- White, P. F., *et al.* A comparison of state and response entropy versus bispectral index values during the perioperative period. *Anesthesia & Analgesia*, **102(1)**, 160–167 (2006).
- Viertiö-Oja, H., *et al.* Description of the Entropy algorithm as applied in the Datex-Ohmeda S/5 Entropy Module. *Acta Anaesthesiologica Scandinavica*, **48(2)**, 154–61 (2004).
Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14995936>
- Wu, S.-C., *et al.* Use of spectral entropy monitoring in reducing the quantity of sevoflurane as sole inhalational anesthetic and in decreasing the need for antihypertensive drugs in total knee replacement surgery. *Acta Anaesthesiologica Taiwanica*, **46(3)**, 106–111 (2008).
- Xue, Z. J., *et al.* [Efficacy of entropy index in monitoring nociceptive stimulus in patients undergoing propofol-remifentanil general anesthesia]. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao. Acta Academiae Medicinae Sinicae*, **36(1)**, 68–72 (2014).
- Yen, Y.-H., *et al.* Sex differences in conscious sedation during upper gastrointestinal panendoscopic examination. *Journal of the Formosan Medical Association*, **110(1)**, 44–49 (2011).
- Yli-Hankala, A., Awareness despite low spectral entropy values. *Anesthesia & Analgesia*, **106(5)**, 1585 (2008).

ARTICLES CATEGORIZED

Bypass surgery	10
Cardiac surgery	10
Critical care	10
Desflurane	10
Dexmedetomidine	10
Elderly patient	11
Etomidate	11
Halothane	11
Isoflurane	11
Ketamine	11
Midazolam	12
Neuroanesthesia	12
Neuromuscular blocking agents	12
Nitrous oxide	13
Noxious stimulus	13
Opioid	14
Outcome	15
Pediatrics	15
Propofol	16
Sevoflurane	18
Thiopental	19
Xenon	19

Bypass surgery

Baulig, W., *et al.* Comparison of spectral entropy and bispectral index electroencephalography in coronary artery bypass graft surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, **24(4)**, 544–549 (2010).

Lehmann, A., *et al.* Bispectral index and electroencephalographic entropy in patients undergoing aortocoronary bypass grafting. *European Journal of Anaesthesiology*, **24(09)**, 751–760 (2007).

Meybohm, P., *et al.* Correlation and agreement between the bispectral index vs. state entropy during hypothermic cardiopulmonary bypass. *Acta Anaesthesiologica Scandinavica*, **54(2)**, 169–175 (2010).

Cardiac surgery

Arutiunian, O. M., *et al.* [Role of entropy-based neuromonitoring during cardiac surgery]. *Anesteziol Reanimatol*, **5**, 78–82 (2010). Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21395148>

Musialowicz, T., *et al.* Comparison of Spectral Entropy and BIS VISTATM monitor during general anesthesia for cardiac surgery. *Journal of Clinical Monitoring and Computing*, **25(2)**, 95–103 (2011).

Critical care

Haenggi, M., *et al.* Entropy and bispectral index for assessment of sedation, analgesia and the effects of unpleasant stimuli in critically ill patients: an observational study. *Critical Care*, **12(5)**, R119 (2008).

Haenggi, M., *et al.* Auditory event-related potentials, bispectral index, and entropy for the discrimination of different levels of sedation in intensive care unit patients. *Anesthesia & Analgesia*, **109(3)**, 807–816 (2009).

Hernández-Gancedo, C., *et al.* Comparing Entropy and the Bispectral index with the Ramsay score in sedated ICU patients. *Journal of Clinical Monitoring and Computing*, **21(5)**, 295–302 (2007).

Peeters, E., *et al.* Automated EEG entropy measurements in coma, vegetative state/unresponsive wakefulness syndrome and minimally conscious state. *Functional Neurology*, **26(1)**, 25 (2011).

Walsh, T. S., *et al.* An assessment of the validity of spectral entropy as a measure of sedation state in mechanically ventilated critically ill patients. *Intensive Care Medicine*, **34(2)**, 308–315 (2008).

Wennervirta, J. E., *et al.* Hypothermia-treated cardiac arrest patients with good neurological outcome differ early in quantitative variables of EEG suppression and epileptiform activity*. *Critical Care Medicine*, **37(8)**, 2427–2435 (2009).

Desflurane

Vakkuri, A., *et al.* Time-frequency balanced spectral entropy as a measure of anesthetic drug effect in central nervous system during sevoflurane, propofol, and thiopental anesthesia. *Acta Anaesthesiologica Scandinavica*, **48(2)**, 145–153 (2004).

White, P. F., *et al.* A comparison of state and response entropy versus bispectral index values during the perioperative period. *Anesthesia & Analgesia*, **102(1)**, 160–167 (2006).

Dexmedetomidine

Ghodki, P. S., *et al.* Dexmedetomidine as an anesthetic adjuvant in laparoscopic surgery: An observational study using entropy monitoring. *Journal of Anaesthesiology Clinical Pharmacology*, **28(3)**, 334 (2012).

Haenggi, M., *et al.* Intra- and inter-individual variation of BIS-index and Entropy during controlled sedation with midazolam/remifentanil and dexmedetomidine/remifentanil in healthy volunteers: an interventional study. *Crit Care*, **13(1)**, R20. (2009).

Harsoor, S. S., *et al.* Effect of intraoperative Dexmedetomidine infusion on Sevoflurane requirement and blood glucose levels during entropy-guided general anesthesia. *Journal of Anaesthesiology, Clinical Pharmacology*, **30(1)**, 25 (2014).

Kaskinoro, K., *et al.* Wide inter-individual variability of bispectral index and spectral entropy at loss of consciousness during increasing concentrations of dexmedetomidine, propofol, and sevoflurane. *British Journal of Anaesthesia*, **107(4)**, 573–80 (2011).

Maksimow, A., *et al.* Assessing the depth of dexmedetomidine-induced sedation with electroencephalogram (EEG)-based spectral entropy. *Acta Anaesthesiologica Scandinavica*, **51(1)**, 22–30 (2007).

Patel, C. R., *et al.* The effect of dexmedetomidine continuous infusion as an adjuvant to general anesthesia on sevoflurane requirements: a study based on entropy analysis. *Journal of Anaesthesiology Clinical Pharmacology*, **29(3)**, 318 (2013).

Elderly patient

Aimé, I., *et al.* Effect of age on the comparability of bispectral and state entropy indices during the maintenance of propofol-sufentanil anaesthesia. *British Journal of Anaesthesia*, **aer457** (2012).

Arnold, G., *et al.* BIS and Entropy in the elderly. *Anaesthesia*, **62(9)**, 907–912 (2007).

Lysakowski, C., *et al.* Bispectral and spectral entropy indices at propofol-induced loss of consciousness in young and elderly patients. *British Journal of Anaesthesia*, **aep162** (2009).

Riad, W., *et al.* Monitoring with EEG entropy decreases propofol requirement and maintains cardiovascular stability during induction of anaesthesia in elderly patients. *European Journal of Anaesthesiology*, **24(08)**, 684–688 (2007).

Etomidate

Kim, H.-M., *et al.* Effects of etomidate on bispectral index scale and spectral entropy during induction of anesthesia by means of the raw electroencephalographic and electromyographic characteristics. *Korean Journal of Anesthesiology*, **62(3)**, 230–233 (2012).

Shah, S. B., *et al.* Comparison of hemodynamic effects of intravenous etomidate versus propofol during induction and intubation using entropy guided hypnosis levels. *Journal of Anaesthesiology, Clinical Pharmacology*, **31(2)**, 180 (2015).

Halothane

*Prabhakar, H., *et al.* Isoflurane and sevoflurane decrease entropy indices more than halothane at equal MAC values. *Journal of Anesthesia*, **23(1)**, 154–157 (2009).

*Prabhakar, H., *et al.* EEG entropy values during isoflurane, sevoflurane and halothane anesthesia with and without nitrous oxide. *Journal of Neurosurgical Anesthesiology*, **21(2)**, 108–111. (2009).

Isoflurane

Prabhakar, H., *et al.* Isoflurane and sevoflurane decrease entropy indices more than halothane at equal MAC values. *Journal of Anesthesia*, **23(1)**, 154–157 (2009).

Prabhakar, H., *et al.* EEG entropy values during isoflurane, sevoflurane and halothane anesthesia with and without nitrous oxide. *Journal of Neurosurgical Anesthesiology*, **21(2)**, 108–111 (2009).

Talawar, P., *et al.* Entropy monitoring decreases isoflurane concentration and recovery time in pediatric day care surgery—a randomized controlled trial. *Pediatric Anesthesia*, **20(12)**, 1105–1110 (2010).

Ketamine

Hans, P., *et al.* Comparative effects of ketamine on Bispectral Index and spectral entropy of the electroencephalogram under sevoflurane anaesthesia. *British Journal of Anaesthesia*, **94(3)**, 336–340 (2005).

Maksimow, A., *et al.* Increase in high frequency EEG activity explains the poor performance of EEG spectral entropy monitor during S-ketamine anesthesia. *Clinical Neurophysiology*, **117(8)**, 1660–8 (2006).

Vereecke, H. E. M., *et al.* The effects of ketamine and rocuronium on the A-Line® auditory evoked potential Index, Bispectral Index, and spectral entropy monitor during steady state propofol and remifentanyl anesthesia. *Anesthesiology*, **105(6)**, 1122–1134 (2006).

Midazolam

Haenggi, M., *et al.* Intra- and inter-individual variation of BIS-index and Entropy during controlled sedation with midazolam/remifentanyl and dexmedetomidine/remifentanyl in healthy volunteers: an interventional study. *Crit Care*, **13(1)**, R20 (2009).

Mowafi, H. A., Spectral entropy as an objective measure of sedation state in midazolam-premedicated patients. *Saudi Journal of Anaesthesia*, **6(2)**, 131 (2012).

Neuroanesthesia

Bharne, S., *et al.* Comparison of intravenous labetalol and bupivacaine scalp block on the hemodynamic and entropy changes following skull pin application: A randomized, open label clinical trial. *Asian Journal of Neurosurgery*, **11(1)**, 60 (2016).

Duncan, D., *et al.* A comparison of bispectral index and entropy monitoring, in patients undergoing embolization of cerebral artery aneurysms after subarachnoid haemorrhage. *British Journal of Anaesthesia*, **96(5)**, 590–596 (2006).

Jagia, M., *et al.* Comparative Evaluation of Spectral Entropy and Bispectral Index during Propofol/Thiopentone Anaesthesia in Patients with Supratentorial Tumours-A Preliminary Study. *Indian Journal of Anesthesia*, **52(2)**, 175 (2008).

Khan, J., *et al.* Entropy as an indicator of cerebral perfusion in patients with increased intracranial pressure. *Journal of Anaesthesiology, Clinical Pharmacology*, **30(3)**, 409 (2014).

Martorano, P., *et al.* Spectral entropy assessment with auditory evoked potential in neuroanesthesia. *Clinical Neurophysiology*, **118(3)**, 505–512 (2007).

Martorano, P. P., *et al.* Bispectral index and spectral entropy in neuroanesthesia. *Journal of Neurosurgical Anesthesiology*, **18(3)**, 205–210 (2006).

Reviron, P., *et al.* [Interest of entropy monitoring during low-grade cerebral aneurysm embolisation]. In *Annales francaises d'anesthesie et de reanimation* **27**, 106–107 (2008).

Neuromuscular blocking agents

Aho, A. J., *et al.* Elevated BIS and Entropy values after sugammadex or neostigmine: an electroencephalographic or electromyographic phenomenon? *Acta Anaesthesiologica Scandinavica*, **56(4)**, 465–473 (2012).

Aho, A. J., *et al.* Explaining Entropy responses after a noxious stimulus, with or without neuromuscular blocking agents, by means of the raw electroencephalographic and electromyographic characteristics. *British Journal of Anaesthesia*, **106(1)**, 69–76 (2011).

Baughman, V. L., *et al.* Recovery from paralysis with succinylcholine increased Response entropy and EMG but not State entropy. *Journal of Clinical Monitoring and Computing*, **19(3)**, 201–205 (2005).

Hans, P., *et al.* Effect of an intubation dose of rocuronium on Spectral Entropy and Bispectral Index™ responses to laryngoscopy during propofol anaesthesia. *British Journal of Anaesthesia*, **97(6)**, 842–847 (2006).

Kawaguchi, M., *et al.* Rocuronium dose-dependently suppresses the spectral entropy response to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **102(5)**, 667–672 (2009).

Liu, N., *et al.* The influence of a muscle relaxant bolus on bispectral and datex-ohmeda entropy values during propofol-remifentanyl induced loss of consciousness. *Anesthesia & Analgesia*, **101(6)**, 1713–1718 (2005).

Puttappa, A., *et al.* Large increases in both response and state entropy to awake values antagonized with administration of incremental rocuronium. *British Journal of Anaesthesia*, **115(6)**, 934–935 (2015).

Vereecke, H. E. M., *et al.* The effects of ketamine and rocuronium on the A-Line® auditory evoked potential Index, Bispectral Index, and spectral entropy monitor during steady state propofol and remifentanyl anesthesia. *Anesthesiology*, **105(6)**, 1122–1134 (2006).

Nitrous oxide

Aho, A. J., *et al.* Facial muscle activity, Response Entropy, and State Entropy indices during noxious stimuli in propofol--nitrous oxide or propofol--nitrous oxide--remifentanil anaesthesia without neuromuscular block. *British Journal of Anaesthesia*, **102(2)**, 227–233 (2009).

Anderson, R. E., *et al.* Entropy of EEG during anaesthetic induction: a comparative study with propofol or nitrous oxide as sole agent. *British Journal of Anaesthesia*, **92(2)**, 167–170 (2004).

Hans, P., *et al.* Effects of nitrous oxide on spectral entropy of the EEG during surgery under balanced anaesthesia with sufentanil and sevoflurane. *Acta Anaesthesiol Belg*, **56(1)**, 37–43. (2005).

Lefoll-Masson, C., *et al.* The comparability of bispectral index and state entropy index during maintenance of sufentanil-sevoflurane-nitrous oxide anesthesia. *Anesthesia & Analgesia*, **105(5)**, 1319–1325 (2007).

Ozcan, M. S., *et al.* Does nitrous oxide affect bispectral index and state entropy when added to a propofol versus sevoflurane anesthetic? *Journal of Neurosurgical Anesthesiology*, **22(4)**, 309–315 (2010).

Prabhakar, H., *et al.* EEG entropy values during isoflurane, sevoflurane and halothane anesthesia with and without nitrous oxide. *Journal of Neurosurgical Anesthesiology*, **21(2)**, 108–111 (2009).

Sleigh, J. W., *et al.* Editorial | Entropy is blind to nitrous oxide. Can we see why? *British Journal of Anaesthesia*, **92(2)**, 159–161 (2004).

Smith, F. J., *et al.* Entropy of the electroencephalogram as applied in the M-Entropy S/5TM Module (GE Healthcare) during increases in nitrous oxide and constant sevoflurane concentrations. *Southern African Journal of Anaesthesia and Analgesia*, **16(4)** (2010).

Soto, R. G., *et al.* The effect of addition of nitrous oxide to a sevoflurane anesthetic on BIS, PSI, and entropy. *Journal of Clinical Monitoring and Computing*, **20(3)**, 145–150 (2006).

Vakkuri, A., *et al.* Spectral entropy monitoring is associated with reduced propofol use and faster emergence in propofol--nitrous oxide--alfentanil anesthesia. *Anesthesiology*, **103(2)**, 274–279 (2005).

Noxious stimulus

Aho, A. J., *et al.* Explaining Entropy responses after a noxious stimulus, with or without neuromuscular blocking agents, by means of the raw electroencephalographic and electromyographic characteristics. *British Journal of Anaesthesia*, **106(1)**, 69–76 (2011).

Aho, A. J., *et al.* Facial muscle activity, Response Entropy, and State Entropy indices during noxious stimuli in propofol--nitrous oxide or propofol--nitrous oxide--remifentanil anaesthesia without neuromuscular block. *British Journal of Anaesthesia*, **102(2)**, 227–233 (2009).

Gjerstad, A. C., *et al.* Comparison of skin conductance with entropy during intubation, tetanic stimulation and emergence from general anaesthesia. *Acta Anaesthesiologica Scandinavica*, **51(1)**, 8–15 (2007).

Guerrero, J. L., *et al.* Response entropy changes after noxious stimulus. *Journal of Clinical Monitoring and Computing*, **26(3)**, 171–175 (2012).

Hans, P., *et al.* Effect of an intubation dose of rocuronium on Spectral Entropy and Bispectral IndexTM responses to laryngoscopy during propofol anaesthesia. *British Journal of Anaesthesia*, **97(6)**, 842–847 (2006).

Kawaguchi, M., *et al.* Rocuronium dose-dependently suppresses the spectral entropy response to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **102(5)**, 667–672 (2009).

Kawaguchi, M., *et al.* Effect of landiolol on bispectral index and spectral entropy responses to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **101(2)**, 273–278 (2008).

Nunes, R. R., Entropy: A new method of measuring depth of anesthesia. Comparative study with bispectral index during clinical evaluation in tracheal intubation of patients anesthetized with sevoflurane. *Revista Brasileira de Anestesiologia*, **54(3)**, 289–302 (2004).

- Rantanen, M., *et al.* Novel multiparameter approach for measurement of nociception at skin incision during general anaesthesia. *British Journal of Anaesthesia*, **96(3)**, 367–376 (2006).
- Seitsonen, E. R. J., *et al.* EEG spectral entropy, heart rate, photoplethysmography and motor responses to skin incision during sevoflurane anaesthesia. *Acta Anaesthesiologica Scandinavica*, **49(3)**, 284–292 (2005).
- Struys, M., *et al.* Changes in a surgical stress index in response to standardized pain stimuli during propofol--remifentanyl infusion. *British Journal of Anaesthesia*, **99(3)**, 359–367 (2007).
- Takamatsu, I., *et al.* Entropy indices vs the bispectral indexTM for estimating nociception during sevoflurane anaesthesia. *British Journal of Anaesthesia*, **96(5)**, 620–626 (2006).
- Weil, G., *et al.* Does spectral entropy reflect the response to intubation or incision during propofol-remifentanyl anesthesia? *Anesthesia & Analgesia*, **106(1)**, 152–159 (2008).
- Wheeler, P., *et al.* Response entropy increases during painful stimulation. *Journal of Neurosurgical Anesthesiology*, **17(2)**, 86–90 (2005).
- Xue, Z. J., *et al.* [Efficacy of entropy index in monitoring nociceptive stimulus in patients undergoing propofol-remifentanyl general anesthesia]. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao. Acta Academiae Medicinae Sinicae*, **36(1)**, 68–72 (2014).

Opioid

- Aho, A. J., *et al.* Facial muscle activity, Response Entropy, and State Entropy indices during noxious stimuli in propofol--nitrous oxide or propofol--nitrous oxide--remifentanyl anaesthesia without neuromuscular block. *British Journal of Anaesthesia*, **102(2)**, 227–233 (2009).
- Aimé, I., *et al.* Effect of age on the comparability of bispectral and state entropy indices during the maintenance of propofol--sufentanil anaesthesia. *British Journal of Anaesthesia*, **aer457**. (2012).
- Balci, C., *et al.* Comparison of entropy and bispectral index during propofol and fentanyl sedation in monitored anaesthesia care. *Journal of International Medical Research* **37(5)**, 1336–1342 (2009).
- Gruenewald, M., *et al.* M-Entropy guidance vs standard practice during propofol-remifentanyl anaesthesia: a randomised controlled trial*. *Anaesthesia*, **62(12)**, 1224–1229 (2007).
- Haenggi, M., *et al.* Intra- and inter-individual variation of BIS-index and Entropy during controlled sedation with midazolam/remifentanyl and dexmedetomidine/remifentanyl in healthy volunteers: an interventional study. *Crit Care*, **13(1)**, R20 (2009).
- Hans, P., *et al.* Effects of nitrous oxide on spectral entropy of the EEG during surgery under balanced anaesthesia with sufentanil and sevoflurane. *Acta Anaesthesiol Belg*, **56(1)**, 37–43 (2005).
- Kokki, H., *et al.* Regular tramadol use does not affect the propofol dose requirement for induction of anaesthesia. *European Journal of Anaesthesiology*, **24(09)**, 776–781 (2007).
- Lefoll-Masson, C., *et al.* The comparability of bispectral index and state entropy index during maintenance of sufentanil-sevoflurane-nitrous oxide anesthesia. *Anesthesia & Analgesia*, **105(5)**, 1319–1325 (2007).
- Liu, N., *et al.* The influence of a muscle relaxant bolus on bispectral and datex-ohmeda entropy values during propofol-remifentanyl induced loss of consciousness. *Anesthesia & Analgesia*, **101(6)**, 1713–1718 (2005).
- Liu, N., *et al.* Feasibility of closed-loop titration of propofol and remifentanyl guided by the spectral M-Entropy monitor. *Anesthesiology*, **116(2)**, 286–295 (2012).
- Mathews, D. M., *et al.* Feasibility study for the administration of remifentanyl based on the difference between response entropy and state entropy†. *British Journal of Anaesthesia*, **98(6)**, 785–791 (2007).
- Schmidt, G. N., *et al.* Comparative evaluation of the Datex-Ohmeda S/5 Entropy Module and the Bispectral Index[®] monitor during propofol--remifentanyl anesthesia. *Anesthesiology*, **101(6)**, 1283–1290 (2004).
- Schultz, A., *et al.* Comparison of Narcotrend Index, Bispectral Index, spectral and entropy parameters during induction of propofol-remifentanyl anaesthesia. *Journal of Clinical Monitoring and Computing*, **22(2)**, 103–111 (2008).
- Struys, M., *et al.* Changes in a surgical stress index in response to standardized pain stimuli during propofol--remifentanyl infusion. *British Journal of Anaesthesia*, **99(3)**, 359–367 (2007).

- Vakkuri, A., *et al.* Spectral entropy monitoring is associated with reduced propofol use and faster emergence in propofol--nitrous oxide--alfentanil anesthesia. *Anesthesiology*, **103(2)**, 274–279 (2005).
- Valjus, M., *et al.* Response Entropy™ is not more sensitive than State Entropy™ in distinguishing the use of esmolol instead of remifentanil in patients undergoing gynaecological laparoscopy. *Acta Anaesthesiologica Scandinavica*, **50(1)**, 32–39 (2006).
- Vanluchene, A. L. G., *et al.* Spectral entropy measurement of patient responsiveness during propofol and remifentanil. A comparison with the bispectral index. *British Journal of Anaesthesia*, **93(5)**, 645–654 (2004).
- Vereecke, H. E. M., *et al.* The effects of ketamine and rocuronium on the A-Line® auditory evoked potential Index, Bispectral Index, and spectral entropy monitor during steady state propofol and remifentanil anesthesia. *Anesthesiology*, **105(6)**, 1122–1134 (2006).
- Weil, G., *et al.* Does spectral entropy reflect the response to intubation or incision during propofol-remifentanil anesthesia? *Anesthesia & Analgesia*, **106(1)**, 152–159 (2008).
- Xue, Z. J., *et al.* [Efficacy of entropy index in monitoring nociceptive stimulus in patients undergoing propofol-remifentanil general anesthesia]. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao. Acta Academiae Medicinae Sinicae*, **36(1)**, 68–72 (2014).

Outcome

- Aimé, I., *et al.* Does monitoring bispectral index or spectral entropy reduce sevoflurane use? *Anesthesia and Analgesia*, **103(6)**, 1469–1477 (2006).
- Choi, S. R., *et al.* Spectral entropy monitoring allowed lower sevoflurane concentration and faster recovery in children. *Acta Anaesthesiologica Scandinavica*, **54(7)**, 859–862 (2010).
- El Hor, T., *et al.* Impact of entropy monitoring on volatile anesthetic uptake. *Anesthesiology*, **118(4)**, 868–873 (2013).
- Riad, W., *et al.* Monitoring with EEG entropy decreases propofol requirement and maintains cardiovascular stability during induction of anaesthesia in elderly patients. *European Journal of Anaesthesiology*, **24(08)**, 684–688 (2007).
- Shepherd, J., *et al.* Clinical effectiveness and cost-effectiveness of depth of anaesthesia monitoring (E-Entropy, Bispectral Index and Narcotrend): a systematic review and economic evaluation. *Health Technology Assessment (Winchester, England)*, **17(34)**, 1–264 (2013).
- Talawar, P., *et al.* Entropy monitoring decreases isoflurane concentration and recovery time in pediatric day care surgery—a randomized controlled trial. *Pediatric Anesthesia*, **20(12)**, 1105–1110 (2010).
- Vakkuri, A., *et al.* Spectral entropy monitoring is associated with reduced propofol use and faster emergence in propofol--nitrous oxide--alfentanil anesthesia. *Anesthesiology*, **103(2)**, 274–279 (2005).
- Wu, S.-C., *et al.* Use of spectral entropy monitoring in reducing the quantity of sevoflurane as sole inhalational anesthetic and in decreasing the need for antihypertensive drugs in total knee replacement surgery. *Acta Anaesthesiologica Taiwanica*, **46(3)**, 106–111 (2008).

Pediatrics

- Choi, S. R., *et al.* (2010). Spectral entropy monitoring allowed lower sevoflurane concentration and faster recovery in children. *Acta Anaesthesiologica Scandinavica*, **54(7)**, 859–862.
- Davidson, A. J., *et al.* Performance of entropy and Bispectral Index as measures of anaesthesia effect in children of different ages. *British Journal of Anaesthesia*, **95(5)**, 674–679. (2005).
- Davidson, A. J., *et al.* Entropy and bispectral index during anaesthesia in children. *Anaesthesia and Intensive Care*, **32(4)**, 485 (2004).
- Davidson, A. J., *et al.* Measuring anaesthesia in children using the EEG. *Pediatric Anesthesia*, **16(4)**, 374–387 (2006).
- Davidson, A. J., Monitoring the anaesthetic depth in children—an update. *Current Opinion in Anesthesiology*, **20(3)**, 236–243 (2007).

Hahn, J.-O., *et al.* Two-stage vs mixed-effect approach to pharmacodynamic modeling of propofol in children using state entropy. *Pediatric Anesthesia*, **21(6)**, 691–698 (2011).

Khosravi, S., *et al.* A monitor-decoupled pharmacodynamic model of propofol in children using state entropy as clinical endpoint. *Biomedical Engineering, IEEE Transactions on*, **59(3)**, 736–743 (2012).

Klockars, J. G. M., *et al.* Spectral entropy as a measure of hypnosis and hypnotic drug effect of total intravenous anesthesia in children during slow induction and maintenance. *Anesthesiology*, **116(2)**, 340–351 (2012).

Klockars, J. G. M., *et al.* Spectral entropy as a measure of hypnosis in children. *Anesthesiology*, **104(4)**, 708–717 (2006).

Lee, J. Y., *et al.* The effect of spectral entropy monitoring on propofol use and recovery in children. *Anesthesia and Pain Medicine*, **9(2)**, 138–143 (2014)

Lysakowski, C., *et al.* Bispectral and spectral entropy indices at propofol-induced loss of consciousness in young and elderly patients. *British Journal of Anaesthesia*, **aep162** (2009).

Talawar, P., *et al.* Entropy monitoring decreases isoflurane concentration and recovery time in pediatric day care surgery—a randomized controlled trial. *Pediatric Anesthesia*, **20(12)**, 1105–1110 (2010).

Propofol

Aho, A. J., *et al.* Facial muscle activity, Response Entropy, and State Entropy indices during noxious stimuli in propofol–nitrous oxide or propofol–nitrous oxide–remifentanyl anaesthesia without neuromuscular block. *British Journal of Anaesthesia*, **102(2)**, 227–233 (2009).

Aimé, I., *et al.* Effect of age on the comparability of bispectral and state entropy indices during the maintenance of propofol–sufentanil anaesthesia. *British Journal of Anaesthesia*, **aer457** (2012).

Anderson, R. E., *et al.* Entropy during propofol hypnosis, including an episode of wakefulness. *Anaesthesia*, **59(1)**, 52–56. (2004).

Anderson, R. E., *et al.* Entropy of EEG during anaesthetic induction: a comparative study with propofol or nitrous oxide as sole agent†. *British Journal of Anaesthesia*, **92(2)**, 167–170. (2004).

Balci, C., *et al.* Comparison of entropy and bispectral index during propofol and fentanyl sedation in monitored anaesthesia care. *Journal of International Medical Research*, **37(5)**, 1336–1342. (2009).

Bonhomme, V., *et al.* Correlation and agreement between bispectral index and state entropy of the electroencephalogram during propofol anaesthesia. *British Journal of Anaesthesia*, **97(3)**, 340–346 (2006).

Ellerkmann, R. K., *et al.* Spectral entropy and bispectral index as measures of the electroencephalographic effects of propofol. *Anesthesia & Analgesia*, **102(5)**, 1456–1462 (2006).

Gruenewald, M., *et al.* M-Entropy guidance vs standard practice during propofol-remifentanyl anaesthesia: a randomised controlled trial*. *Anaesthesia*, **62(12)**, 1224–1229. (2007).

Hans, P., *et al.* Effect of an intubation dose of rocuronium on Spectral Entropy and Bispectral Index™ responses to laryngoscopy during propofol anaesthesia. *British Journal of Anaesthesia*, **97(6)**, 842–847 (2006).

Höcker, J., *et al.* Differences between bispectral index and spectral entropy during xenon anaesthesia: a comparison with propofol anaesthesia. *Anaesthesia*, **65(6)**, 595–600 (2010).

Iannuzzi, M., *et al.* Relationship between bispectral index, electroencephalographic state entropy and effect-site EC50 for propofol at different clinical endpoints. *British Journal of Anaesthesia*, **94(4)**, 492–495 (2005).

Jagia, M., *et al.* Comparative Evaluation of Spectral Entropy and Bispectral Index during Propofol/Thiopentone Anaesthesia in Patients with Supratentorial Tumours—A Preliminary Study. *Indian Journal of Anesthesia*, **52(2)**, 175 (2008).

Kaskinoro, K., *et al.* Wide inter-individual variability of bispectral index and spectral entropy at loss of consciousness during increasing concentrations of dexmedetomidine, propofol, and sevoflurane. *British Journal of Anaesthesia*, **107(4)**, 573–80 (2011).

Kawaguchi, M., *et al.* Rocuronium dose-dependently suppresses the spectral entropy response to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **102(5)**, 667–672 (2009).

- Kawaguchi, M., *et al.* Effect of landiolol on bispectral index and spectral entropy responses to tracheal intubation during propofol anaesthesia. *British Journal of Anaesthesia*, **101(2)**, 273–278 (2008).
- Khosravi, S., *et al.* A monitor-decoupled pharmacodynamic model of propofol in children using state entropy as clinical endpoint. *Biomedical Engineering, IEEE Transactions on*, **59(3)**, 736–743 (2012).
- Kim, Y. H., *et al.* Effect of preoperative anxiety on spectral entropy during induction with propofol. *Korean Journal of Anesthesiology*, **65(2)**, 108–113 (2013).
- Kokki, H., *et al.* Regular tramadol use does not affect the propofol dose requirement for induction of anaesthesia. *European Journal of Anaesthesiology*, **24(09)**, 776–781. (2007).
- Kwon, M.-Y., *et al.* Spectral entropy for assessing the depth of propofol sedation. *Korean Journal of Anesthesiology*, **62(3)**, 234–239 (2012).
- Lee, J. Y., *et al.* The effect of spectral entropy monitoring on propofol use and recovery in children. *Anesthesia and Pain Medicine*, **9(2)**, 138–143. (2014)
- Liu, N., *et al.* The influence of a muscle relaxant bolus on bispectral and datex-ohmeda entropy values during propofol-remifentanil induced loss of consciousness. *Anesthesia & Analgesia*, **101(6)**, 1713–1718 (2005).
- Liu, N., *et al.* Feasibility of closed-loop titration of propofol and remifentanil guided by the spectral M-Entropy monitor. *Anesthesiology*, **116(2)**, 286–295 (2012).
- Lysakowski, C., *et al.* Bispectral and spectral entropy indices at propofol-induced loss of consciousness in young and elderly patients. *British Journal of Anaesthesia*, **aep162** (2009).
- Mahon, P., *et al.* Behaviour of spectral entropy, spectral edge frequency 90%, and alpha and beta power parameters during low-dose propofol infusion. *British Journal of Anaesthesia*, **101(2)**, 213–221 (2008).
- Mahon, P., *et al.* Spectral entropy as a monitor of depth of propofol induced sedation. *Journal of Clinical Monitoring and Computing*, **22(2)**, 87–93 (2008).
- Maksimow, A., *et al.* Correlation of EEG spectral entropy with regional cerebral blood flow during sevoflurane and propofol anaesthesia*. *Anaesthesia*, **60(9)**, 862–869 (2005).
- Rao, A. K., *et al.* Comparison of electroencephalogram entropy versus loss of verbal response to determine the requirement of propofol for induction of general anaesthesia. *Indian Journal of Anaesthesia*, **59(6)**, 348 (2015).
- Riad, W., *et al.* Monitoring with EEG entropy decreases propofol requirement and maintains cardiovascular stability during induction of anaesthesia in elderly patients. *European Journal of Anaesthesiology*, **24(08)**, 684–688 (2007).
- Schmidt, G. N., *et al.* Comparative evaluation of the Datex-Ohmeda S/5 Entropy Module and the Bispectral Index monitor during propofol–remifentanil anesthesia. *Anesthesiology*, **101(6)**, 1283–1290 (2004).
- Schultz, A., *et al.* Comparison of Narcotrend Index, Bispectral Index, spectral and entropy parameters during induction of propofol-remifentanil anaesthesia. *Journal of Clinical Monitoring and Computing*, **22(2)**, 103–111 (2008).
- Shah, S. B., *et al.* Comparison of hemodynamic effects of intravenous etomidate versus propofol during induction and intubation using entropy guided hypnosis levels. *Journal of Anaesthesiology, Clinical Pharmacology*, **31(2)**, 180 (2015).
- Struys, M., *et al.* Changes in a surgical stress index in response to standardized pain stimuli during propofol--remifentanil infusion. *British Journal of Anaesthesia*, **99(3)**, 359–367 (2007).
- Vakkuri, A., *et al.* Time-frequency balanced spectral entropy as a measure of anesthetic drug effect in central nervous system during sevoflurane, propofol, and thiopental anesthesia. *Acta Anaesthesiologica Scandinavica*, **48(2)**, 145–153 (2004).
- Vakkuri, A., *et al.* Spectral entropy monitoring is associated with reduced propofol use and faster emergence in propofol--nitrous oxide--alfentanil anesthesia. *Anesthesiology*, **103(2)**, 274–279 (2005).
- Vanluchene, A. L. G., *et al.* Spectral entropy measurement of patient responsiveness during propofol and remifentanil. A comparison with the bispectral index. *British Journal of Anaesthesia*, **93(5)**, 645–654 (2004).
- Vanluchene, A. L. G., *et al.* Spectral Entropy as an Electroencephalographic Measure of Anesthetic Drug Effect A Comparison with Bispectral Index and Processed Midlatency Auditory Evoked Response. *Anesthesiology*, **101(1)**, 34–42 (2004).

Vereecke, H. E. M., *et al.* The effects of ketamine and rocuronium on the A-Line{®} auditory evoked potential Index, Bispectral Index, and spectral entropy monitor during steady state propofol and remifentanyl anesthesia. *Anesthesiology*, **105(6)**, 1122–1134 (2006).

Weil, G., *et al.* Does spectral entropy reflect the response to intubation or incision during propofol-remifentanyl anesthesia? *Anesthesia & Analgesia*, **106(1)**, 152–159 (2008).

Xue, Z. J., *et al.* [Efficacy of entropy index in monitoring nociceptive stimulus in patients undergoing propofol-remifentanyl general anesthesia]. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao. Acta Academiae Medicinae Sinicae*, **36(1)**, 68–72 (2014).

Sevoflurane

Abdelmageed, W. M., *et al.* Preoperative paracetamol infusion reduces sevoflurane consumption during thyroidectomy under general anesthesia with spectral entropy monitoring. *Egyptian Journal of Anaesthesia*, **30(2)**, 115–122 (2014).

Aho, A. J., *et al.* Comparison of Bispectral Index and Entropy values with electroencephalogram during surgical anaesthesia with sevoflurane. *British Journal of Anaesthesia*, **115(2)**, 258–266 (2015).

Aimé, I., *et al.* Does monitoring bispectral index or spectral entropy reduce sevoflurane use? *Anesthesia and Analgesia*, **103(6)**, 1469–1477 (2006). <http://doi.org/10.1213/01.ane.0000246838.93153.23>

Choi, S. R., *et al.* Spectral entropy monitoring allowed lower sevoflurane concentration and faster recovery in children. *Acta Anaesthesiologica Scandinavica*, **54(7)**, 859–862 (2010).

Ellerkmann, R. K., *et al.* Spectral entropy and bispectral index as measures of the electroencephalographic effects of sevoflurane. *Anesthesiology*, **101(6)**, 1275–1282 (2004).

Enlund, M., *et al.* A comparison of auditory evoked potentials and spectral EEG in the ability to detect marked sevoflurane concentration alterations and clinical events. *Uppsala Journal of Medical Sciences*, **112(2)**, 221–229 (2007).

Hans, P., *et al.* Effects of nitrous oxide on spectral entropy of the EEG during surgery under balanced anaesthesia with sufentanil and sevoflurane. *Acta Anaesthesiol Belg*, **56(1)**, 37–43 (2005).

Hans, P., *et al.* Comparative effects of ketamine on Bispectral Index and spectral entropy of the electroencephalogram under sevoflurane anaesthesia. *British Journal of Anaesthesia*, **94(3)**, 336–340 (2005).

Harsoor, S. S., *et al.* Effect of intraoperative Dexmedetomidine infusion on Sevoflurane requirement and blood glucose levels during entropy-guided general anesthesia. *Journal of Anaesthesiology, Clinical Pharmacology*, **30(1)**, 25 (2014).

Kaskinoro, K., *et al.* Wide inter-individual variability of bispectral index and spectral entropy at loss of consciousness during increasing concentrations of dexmedetomidine, propofol, and sevoflurane. *British Journal of Anaesthesia*, **107(4)**, 573–80 (2011).

Lefoll-Masson, C., *et al.* The comparability of bispectral index and state entropy index during maintenance of sufentanil-sevoflurane-nitrous oxide anesthesia. *Anesthesia & Analgesia*, **105(5)**, 1319–1325 (2007).

Li, D., *et al.* Multiscale permutation entropy analysis of EEG recordings during sevoflurane anesthesia. *Journal of Neural Engineering*, **7(4)** (2010).

Maksimow, A., *et al.* Correlation of EEG spectral entropy with regional cerebral blood flow during sevoflurane and propofol anaesthesia*. *Anaesthesia*, **60(9)**, 862–869 (2005).

McKay, I. D. H., *et al.* Pharmacokinetic-pharmacodynamic modeling the hypnotic effect of sevoflurane using the spectral entropy of the electroencephalogram. *Anesthesia & Analgesia*, **102(1)**, 91–97 (2006).

Nunes, R. R., Entropy: A new method of measuring depth of anesthesia. Comparative study with bispectral index during clinical evaluation in tracheal intubation of patients anesthetized with sevoflurane. *Revista Brasileira de Anestesiologia*, **54(3)**, 289–302 (2004).

Ozcan, M. S., *et al.* Does nitrous oxide affect bispectral index and state entropy when added to a propofol versus sevoflurane anesthetic? *Journal of Neurosurgical Anesthesiology*, **22(4)**, 309–315 (2010).

Patel, C. R., *et al.* The effect of dexmedetomidine continuous infusion as an adjuvant to general anesthesia on sevoflurane requirements: a study based on entropy analysis. *Journal of Anaesthesiology Clinical Pharmacology*, **29(3)**, 318 (2013).

Prabhakar, H., *et al.* Isoflurane and sevoflurane decrease entropy indices more than halothane at equal MAC values. *Journal of Anesthesia*, **23(1)**, 154–157 (2009).

Prabhakar, H., *et al.* EEG entropy values during isoflurane, sevoflurane and halothane anesthesia with and without nitrous oxide. *Journal of Neurosurgical Anesthesiology*, **21(2)**, 108–111 (2009).

Rinaldi, S., *et al.* State entropy and bispectral index: correlation with end tidal sevoflurane concentrations. *Minerva Anestesiologica*, **73(1-2)**, 39–48 (2006).

Seitsonen, E. R. J., *et al.* EEG spectral entropy, heart rate, photoplethysmography and motor responses to skin incision during sevoflurane anaesthesia. *Acta Anaesthesiologica Scandinavica*, **49(3)**, 284–292 (2005).

Shalhaf, R., *et al.* Measuring the effects of sevoflurane on electroencephalogram using sample entropy. *Acta Anaesthesiologica Scandinavica*, **56(7)**, 880–889 (2012).

Smith, F. J., *et al.* Entropy of the electroencephalogram as applied in the M-Entropy S/5TM Module (GE Healthcare) during increases in nitrous oxide and constant sevoflurane concentrations. *Southern African Journal of Anaesthesia and Analgesia*, **16(4)** (2010).

Takamatsu, I., *et al.* Entropy indices vs the bispectral indexTM for estimating nociception during sevoflurane anaesthesia. *British Journal of Anaesthesia*, **96(5)**, 620–626 (2006).

Vakkuri, A., *et al.* Time-frequency balanced spectral entropy as a measure of anesthetic drug effect in central nervous system during sevoflurane, propofol, and thiopental anesthesia. *Acta Anaesthesiologica Scandinavica*, **48(2)**, 145–153 (2004).

Wu, S.-C., *et al.* Use of spectral entropy monitoring in reducing the quantity of sevoflurane as sole inhalational anesthetic and in decreasing the need for antihypertensive drugs in total knee replacement surgery. *Acta Anaesthesiologica Taiwanica*, **46(3)**, 106–111 (2008).

Yassen, K., *et al.* Entropy Monitoring Effect in Hepatic Cirrhotic Patients Undergoing Major Liver Resection on Sevoflurane Consumption and Hemodynamics. A Randomized Controlled Study. *J Anesth Crit Care Open Access 2016*, **5(3)**: 00185

Thiopental

Jagia, M., *et al.* Comparative Evaluation of Spectral Entropy and Bispectral Index during Propofol/Thiopentone Anaesthesia in Patients with Supratentorial Tumours-A Preliminary Study. *Indian Journal of Anesthesia*, **52(2)**, 175 (2008).

Vakkuri, A., *et al.* Time-frequency balanced spectral entropy as a measure of anesthetic drug effect in central nervous system during sevoflurane, propofol, and thiopental anesthesia. *Acta Anaesthesiologica Scandinavica*, **48(2)**, 145–153 (2004).

Xenon

Höcker, J., *et al.* Differences between bispectral index and spectral entropy during xenon anaesthesia: a comparison with propofol anaesthesia. *Anaesthesia*, **65(6)**, 595–600 (2010).

Laitio, R. M., *et al.* Bispectral index, entropy, and quantitative electroencephalogram during single-agent xenon anesthesia. *Anesthesiology*, **108(1)**, 63–70 (2008).

ABSTRACTS

- Aimé I. *et al.* Bispectral Index (BIS), State Entropy (SE) and Response Entropy (RE) are poorly related to end-tidal sevoflurane (et Sevo) concentrations. *ASA Annual Meeting Abstracts* A-802 (2005).<http://www.asaabstracts.com/strands/asaabstracts/search.html>
- Aimé I. *et al.* Comparison of Bispectral Index (BIS) and State Entropy (SE) during routine anesthetic procedures. *ASA Annual Meeting Abstracts* A-826 (2005).
- Alsina E. *et al.* Hypnosis and analgesia evaluation using entropy monitor. *European Journal Of Anaesthesiology, Euroanesthesia* (2003); *Abstracts and Programme* **23(30)**, A-96 (2003).
- Alsina E. *et al.* Ability of the Bispectral Index and Entropy to measure the anesthetic depth during midazolam and fentanyl anesthesia. *ASA Annual Meeting Abstracts* A-335 (2004).
- Arnaout L. *et al.* A comparative study between Bispectral Index and Spectral Entropy indices in children anesthetised with sevoflurane. *ASA Annual Meeting Abstracts* A-1496 (2004).
- Bein B. *et al.* Influence of mild hypothermia on State and Response Entropy and Bispectral Index (BISXP™) values during cardiopulmonary bypass. *ASA Annual Meeting Abstracts* A-327 (2003).
- Bein B. *et al.* A Comparison of State and Response Entropy and BIS values during induction of anesthesia and mild hypothermic cardiopulmonary bypass. *Journal of Neurosurgical Anesthesiology* **15(4)**, A79 (2003).
- Bischoff P. *et al.* Datex-Ohmeda S/5 Entropy™ Module and the Bispectral Index during different states of a propofol/ remifentanyl anesthesia. *ASA Annual Meeting Abstracts* A-312 (2004).
- Bonhomme V. *et al.* Agreement between Bispectral Index and State Entropy in paralyzed and non paralyzed patients. *ASA Annual Meeting Abstracts*, A-1554 (2006).
- Bonhomme V. *et al.* Effect of intravenous lidocaine on EEG Spectral Entropy and haemodynamic response to laryngoscopy and tracheal intubation: preliminary results. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-90 (2005).
- Bouillon T. W. *et al.* The relationship between endtidal sevoflurane concentrations and Spectral Entropy/Bispectral Index. *ASA Annual Meeting Abstracts* A-498 (2004).
- Bouillon T. *et al.* The effect of surgical stimulation on the relationship between endtidal sevoflurane concentration and Spectral Entropy/Bispectral Index. *ASA Annual Meeting Abstracts* A-765 (2005).
- Bretschneider M. *et al.* Influence of high frequency noise above 55 Hz onto depth of anesthesia monitors. *ASA Annual Meeting Abstracts* A-1291 (2008) / *Anesthesiology* **109**, A1299 (2008).
- Bruhn J. *et al.* Spectral Entropy and Bispectral Index as measures of the EEG effects of propofol. *ASA Annual Meeting Abstracts* A-346 (2004).
- Caliebe D. *et al.* A Comparison of State and Response Entropy and Bispectral (BISXP™) Index™ Values during Induction of Anesthesia. *ASA Annual Meeting Abstracts* A-286 (2003).
- Caliebe D. *et al.* A comparison of state and Response Entropy and Bispectral Index values during induction of anaesthesia and mild hypothermic cardiopulmonary bypass. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-142 (2004).
- Castro A. *et al.* Modeling Hypnotic and Analgesic Dynamic Interaction – State Entropy and Auditory Evoked Potentials. *ASA Annual Meeting Abstracts* A-19 (2007)/ *Anesthesiology* **107**, A19 (2007).
- Castro A. *et al.* Anesthesia Assessed by BIS Results in Less Time above Adequate Values Than with AEP and Entropy. *ASA Annual Meeting Abstracts* A-1878 (2007)/ *Anesthesiology* **107**, A1878 (2007)
- Castro A. *et al.* Propofol versus sevoflurane general anaesthesia: influence on the State Entropy variability. *Euroanesthesia* 3AP2-9 (2007).
- Castro A. *et al.* A new simulation software for the State Entropy using propofol and remifentanyl effect-site concentrations steering. *Euroanesthesia* 3AP7-6 (2008)/ *Eur J Anaesthesiol* **25(44)**, 3AP7-6 (2008).
- Castro A. *et al.* Maximum Effect with BIS and Entropy Indices during Induction – Discrepancy between Values. *ASA Annual Meeting Abstracts* A-79 (2007) / *Anesthesiology* **107**, A79 (2007).

- Castro A. *et al.* Loss of Consciousness with BIS, Entropy and AEP – Time to Maximum Effect. *ASA Annual Meeting Abstracts* A-1879 (2007).
- Coluzzi F. *et al.* Spectral Entropy monitoring during sedation for endourological procedures. *13th World Congress of Anaesthesiologists* P0104, (2004). <http://www.wca2004.com/programme/pdf/P0104.pdf>
- Dierckens E. *et al.* Is Entropy a monitor for the guidance of intraoperative analgesia? *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-91 (2005).
- Ellerkmann R. *et al.* Spectral Entropy and Bispectral Index as guidance for propofol-remifentanil anaesthesia in combination with regional anaesthesia compared with a standard clinical practice group. *Euroanesthesia* 3AP3-3 (2007).
- Galarioni V. *et al.* Sevoflurane titration by using Spectral Entropy or Bispectral Index: effects on recovery time. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-93 (2005).
- Guerrero J. L. *et al.* Response Entropy changes after nociceptive stimulus during general anesthesia. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-96 (2005).
- Hanart C. *et al.* EEG Spectral Entropy During Anaesthesia in Children: Effects of Nitrous Oxide. *Euroanesthesia* 10AP1-2 (2007).
- Hartwich V. *et al.* Prediction Probability of Spectral Entropy, Bispectral Index and Endtidal Sevoflurane Concentration for Reaction to Painful Stimulation. *ASA Annual Meeting Abstracts* A-497 (2004).
- Hernandez-Gancedo C. *et al.* Is there cortical electrical activity after cardiac arrest? Apparent contradictory results between BIS and ENTROPY. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-134 (2004).
- Hernandez-Gancedo C. *et al.* Use of ENTROPY to assess depth of sedation in postoperative patients. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-139 (2004).
- Hoffman W. E. *et al.* The Role of Facial EMG and Entropy in Evaluating Adequacy of Anesthesia. *ASA Annual Meeting Abstracts* A-336 (2004).
- Hoffman W. *et al.* Evaluating Dexmedetomidine as an Alternative to Fentanyl Anesthesia with Response Entropy as a Guide to Anesthetic Delivery. *ASA Annual Meeting Abstracts* A-799 (2005).
- Hocker, J. *et al.* A Comparison of State and Response Entropy with Bispectral Index during Desflurane Anesthesia. *ASA Annual Meeting Abstracts* A-1552 (2006).
- Ikeda T. *et al.* Influence of Hypobaric Hypoxia on Bispectral Index and Spectral Entropy in Volunteers. *ASA Annual Meeting Abstracts* A-60 (2007).
- Izumi N. and Rikako S. Effects of Sedation Doses of Dexmedetomidine and Propofol on EEG and Cardiorespiratory Changes. *WCA, Abstracts* (2008).
- Komatsu T. *et al.* A Comparison of State and Response Entropy of Electroencephalogram with Changes in Entropy of Heart Rate Variability during Induction of Anesthesia. *ASA Annual Meeting Abstracts* A-530 (2004).
- Krstevski Z. *et al.* Entropy monitoring during tiva anaesthesia. *WCA, Abstracts* (2008).
- Lambert P. *et al.* Analysis of Bispectral Index, State and Response Entropy values upon emergence from anesthesia in patients anaesthetized with propofol or sevoflurane. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-120 (2004).
- Leclercq S. *et al.* EEG Spectral Entropy During Anaesthesia in Children: Halothane versus Sevoflurane. *Euroanesthesia* 10AP1-1 (2007).
- Leclercq S. *et al.* EEG Spectral Entropy During Sevoflurane Anaesthesia in Children: Influence of Age. *Euroanesthesia* 10AP1-3 (2007).
- Liu J. and Yue Y. Effects of remifentanil and rocuronium on RE, SE, BIS values with and without stimuli. *Euroanesthesia* 3AP3-2 (2007).
- Liu N. *et al.* Closed-Loop Titration of Propofol and Remifentanil Guided by Spectral Entropy: A Controlled Study. *ASA Annual Meeting Abstracts* A-1881 (2007).
- Lysakowski C. *et al.* Advanced age and the use of simplified EEG monitors: Part II of a cohort study comparing young and elderly patients. *Euroanesthesia* 3AP7-1 (2008) / *Eur J Anaesthesiol* **25(44)**, 3AP7-7 (2008).
- Massó E. *et al.* Comparison of the Index of Consciousness with the Entropy Indices during Sevoflurane Anaesthesia. *ASA Annual Meeting Abstracts* A-1291 (2008) / *Anesthesiology* **109**, A1291 (2008).

- Mathews D. M. *et al.* Closed-Loop Delivery of Remifentanyl Based on the Difference between State and Response Entropy. *ASA Annual Meeting Abstracts A-735* (2007).
- Mathews D. M. *et al.* Correlation between the Response Entropy – State Entropy Gradient and BIS-Derived Facial EMG. *ASA Annual Meeting Abstracts A-861* (2006).
- Ozcan M. S. *et al.* Same-Patient Reproducibility of State Entropy: A Comparison of Simultaneous Bilateral Measurements. *ASA Annual Meeting Abstracts A-196* (2008) / *Anesthesiology* **109**, A196 (2008).
- Paprotny S. *et al.* BIS, Entropy Module and Narcotrend May Mainly Detect Linear Random Characteristics of the EEG. *ASA Annual Meeting Abstracts A-1296* (2008) / *Anesthesiology* **109**, A1296 (2008).
- Pilge S. *et al.* Correlation between the BIS and the State Entropy. *ASA Annual Meeting Abstracts A-1292* (2008) / *Anesthesiology* **109**, A1292 (2008).
- Prabhakar H. *et al.* Equi-MAC Values of Volatile Agents Produce Different Entropy Values with Air/Nitrous Oxide. *ASA Annual Meeting Abstracts A-198* (2008) / *Anesthesiology* **109**, A198 (2008).
- Prabhakar H. *et al.* At Equal MAC Values Isoflurane and Sevoflurane Decrease Spectral Entropy Indices More Than Halothane. *ASA Annual Meeting Abstracts A-925* (2008) / *Anesthesiology* **109**, A925 (2008).
- Pilge S. *et al.* Spectral Entropy May Separate Consciousness from Unconsciousness with Both Sevoflurane and Propofol. *ASA Annual Meeting Abstracts A-1033* (2006).
- Pirri S. *et al.* Narcotrend (NT) or entropy (E) monitoring depth of hypnosis. Analysis of two new EEG based monitor during gynaecologic surgery. Our experience. *Euroanesthesia 3AP5-5* (2008) / *Eur J Anaesthesiol* **25(44)**, 3AP5-5 (2008).
- Quan X. *et al.* Bispectral Index and Entropy Responses to Skin Incision under General Anesthesia. *ASA Annual Meeting Abstracts A-75* (2007).
- Quinart A. *et al.* Comparison of Bispectral Index and Spectral Entropy during Induction of Anesthesia with Propofol and Remifentanyl. *ASA Annual Meeting Abstracts A-347* (2004).
- Rantanen M. *et al.* Response Entropy, Heart Rate and Photoplethysmography Responses to Long-Lasting Tetanic Stimulus and Skin Incision. *ASA Annual Meeting Abstracts A-559* (2004).
- Rampil I. *et al.* State and Response Entropy Predict Amnesia during Propofol Sedation. *ASA Annual Meeting Abstracts A-1555* (2006).
- Rehberg B. *et al.* Association between subjective assessment of anaesthetic depth and BIS or Spectral Entropy by inexperienced and experienced anaesthesiologists. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-92 (2005).
- Romero G. *et al.* Comparative Sensitivity and Specificity of Spectral Entropy and Bispectral Index (BIS) Monitors during Outpatient Anesthesia. *ASA Annual Meeting Abstracts A-331* (2004).
- Romero G. *et al.* Evaluation of Spectral Entropy and Bispectral Index Values during Ambulatory Anesthesia. *ASA Annual Meeting Abstracts A-21* (2004).
- Scheinin H. *et al.* EEG spectral entropy correlates with regional cerebral blood flow during sevoflurane and propofol anesthesia. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-405 (2004).
- Song X. *et al.* Reliability of Spectral Entropy Reflecting Analgesia Stimulus. *ASA Annual Meeting Abstracts A-1040* (2006).
- Sung Uk Choi *et al.* Effect of muscle relaxant to spectral entropy during propofol anesthesia. *WCA, Abstracts* (2008).
- Soto R. G. *et al.* Comparison of Bispectral Index and Entropy during general anesthetic induction and emergence. *International Anesthesia Research Society IARS 79th Clinical and Scientific Congress* (March 2005).
- Stapelfeldt C.K. *et al.* Guiding Depth of Xenon Anesthesia: Comparison of Bispectral Index vs. Spectral Entropy. *ASA Annual Meeting Abstracts A-2* (2008) / *Anesthesiology* **109**, A2 (2008).
- Struys M. M. R. F. *et al.* The Ability of BIS™, Spectral Entropy and Predicted Propofol Concentrations To Measure Patient Responsiveness during Anesthesia with Propofol and Remifentanyl. *ASA Annual Meeting Abstracts A-346* (2003).
- Tang J. *et al.* Comparison of BIS Index values to State and Response Entropy values during desflurane anesthesia. *International Anesthesia Research Society IARS 79th Clinical and Scientific Congress* (March 2005).
- Tae Kyun Kim *et al.* Nitrous oxide increases the spectral entropy of EEG. *WCA, Abstracts* (2008).

- Tapia B. *et al.* Hypnosis evaluation during induction and recovery: entropy analysis versus BIS. *European Journal Of Anaesthesiology, Euroanesthesia* (2003); *Abstracts and Programme* **23(30)**, A-94 (2003).
- Tesniere A. *et al.* Spectral Entropy during Surgical Stimulation under General Anesthesia with Propofol and Remifentanyl. *ASA Annual Meeting Abstracts* A-342 (2003).
- Tesniere A. *et al.* BIS™ and Spectral Entropy To Predict Loss of Consciousness during Induction and Recovery from Anesthesia with Propofol and Remifentanyl. *ASA Annual Meeting Abstracts* A-329 (2003).
- Tiefenthaler W. *et al.* Auditory Evoked Potentials (AEP) and Entropy monitoring differ in classification of depth of anaesthesia and prediction of accidental movement. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-146 (2004).
- Tiren C. *et al.* Depth of anaesthesia: A clinical study comparing Entropy and BIS in cardiac surgery patients during cardiopulmonary bypass. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-140 (2004).
- Ueyama H. *et al.* Comparison of Spectral Entropy and BIS during sevoflurane or isoflurane anesthesia. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-95 (2005).
- Vakkuri A. *et al.* Comparison of entropy and Bispectral Index of EEG in propofol, sevoflurane and thiopental anaesthesia. *European Journal Of Anaesthesiology, Euroanesthesia* (2003); *Abstracts and Programme* **23(30)**, A-92 (2003).
- Van Rompaey N. *et al.* Influence of Entropy Monitoring on Drug Consumption during and after Long Lasting TCI Anesthesia. *ASA Annual Meeting Abstracts* A-1725 (2007) / *Anesthesiology* **107**, A1725 (2007).
- Van Rompaey *et al.* Spectral entropy reduces propofol consumption during long lasting TCI anaesthesia. *Euroanesthesia* 3AP2-8 (2007).
- Vanags I. *et al.* The use of Entropy in the monitoring of CNS reaction during general anesthesia. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-88 (2005).
- Velik-Salchner C. *et al.* Bispectral Index (BIS) and Entropy monitoring differ in classification of depth of anaesthesia. *European Journal Of Anaesthesiology, Euroanesthesia* (2004); *Abstracts and Programme* **21(32)**, A-145 (2004).
- Viertiö-Oja H. *et al.* Monitoring entropy of the composite EEG and FEMG signal during general anesthesia. *Anesthesia & Analgesia, IARS 77th Clinical & Scientific Congress* **96**, 2S: S-135 (2003) <http://www.iars.org/abstracts/abstracts77.shtm>
- Viertiö-Oja H. EEG Entropy: Development, Features and Performance. *Acta Anaesthesiologica Scandinavica* **47(116)**, IA 02 (2003).
- Vila A. *et al.* Entropy: a new anaesthetic depth monitor. Comparative study with BIS in the clinical settings. *European Journal Of Anaesthesiology, Euroanesthesia* (2003); *Abstracts and Programme* **23(30)**, A-91 (2003).
- Villazala R. *et al.* Effects of the electric drill in accuracy of Spectral Entropy in tympanoplasty. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-94 (2005).
- Yppärilä H. *et al.* Assessment of sedation level and EEG recovery after major operation by spectral entropy. *Critical Care, 21st International Symposium on Intensive Care and Emergency Medicine* **5(1)**, P193 (2001).
- Wagner F. D. *et al.* Influence of combined drug effect with sevoflurane/remifentanyl and propofol/remifentanyl on predictive probability of Entropy and auditory evoked response. *European Journal Of Anaesthesiology, Euroanesthesia* (2005); *Abstracts and Programme* **22(34)**, A-97 (2005).
- Wheeler P. *et al.* The relation between Stateentropy (SE) and Response Entropy (RE) of the electroencephalogram (EEG) to neuromuscular transmission in patients. *Journal of Neurosurgical Anesthesiology* **15(4)**, A80 (2003).
- White P. F. *et al.* Effect of Recovery from Anesthesia on the Bispectral Index vs Entropy Values: Does the Facial EMG Component after the Entropy Response? *ASA Annual Meeting Abstracts* A-333 (2004).
- Xue Q. *et al.* Prediction Depth of Hypnosis by Entropy during Propofol Anesthesia. *ASA Annual Meeting Abstracts* A-873 (2005).
- Yli-Hankala A. *et al.* EEG Entropy monitoring decreases propofol consumption and shortens early recovery times. *European Journal Of Anaesthesiology, Euroanesthesia* (2003); *Abstracts and Programme* **23(30)**, A-98 (2003).
- Yli-Hankala A. Entropy in a real world. *Acta Anaesthesiologica Scandinavica* **47(116)**, IA 03 (2003)



Imagination at work

Product may not be available in all countries and regions. Full product technical specification is available upon request. Contact a GE Healthcare Representative for more information. Please visit www.gehealthcare.com/promotional-locations.

Data subject to change.

© 2016 General Electric Company – All rights reserved.

GE, GE Monogram and Entropy are trademarks of General Electric Company.

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information.

GE Healthcare, a division of General Electric Company.

Reproduction in any form is forbidden without prior written permission from GE. Nothing in this material should be used to diagnose or treat any disease or condition. Readers must consult a healthcare professional.

JB41666XX(1) 8/16